A TELLOCAY O	Approved For Release 2002/08/14 : CIA-RDP82-00457R01 CLASSIFICATION GEORGE SUGGESTY INFORMATION	0 C 9 25X1A
INTELLOFAX 2	CENTRAL INTELLIGENCE AGENCY ION REPORT	CD NO.
COUNTRY	Poland	DATE DISTR. 29 Dec mber 1958
SUBJECT	Construction of the Warsaw Subway	NO. OF PAGES
	25X1C	NO OF ENCLS (1page)
	DO NOT CIRCULATE	SUPPLEMENT TO REPORT NO. 25X1X

- Two construction companies are working on the marsaw subway under no sutherity of the Main Administration for the Construction of the lower which has offices on Trzech Krzyzy Square. The firms are Metro Budowa, with offices at Ulica Kowia, marsaw-Praga, and the marsaw branch of the Shaft Construction Company of Bytom. The former has understhe construction of 21 shafts, and the latter is to build five shafts. The Main Administration issues blueprints, supervises the work bell a done and the use of equipment it owns, and recruits technicians for the subordinate companies.
- Praga side of the Swierczewskiego bridge beside the Mosty interume railway station. Shaft 3a is in Praga, east from the Wilenski railroad station. Shaft 3s is on the other side of the Vilenski railroad station, on Ulica Targowa in the direction of the Vistula; 4s is not the back part of the streetcar station on the Vistula. Shaft 4a is not the right bank of the Vistula at Mariensztat. Shaft 22, in construction for several months, is at Ulica Marszalkowska and Ulica Krolews in the Bacon Garden. On 14 August 1952, Shaft 4s was 35 meters appoint the blueprints specify 63 meters depth. Work on the tunnels for Shafts 3s and 5s started in the autumn of 1951. By August, only meters had been dug. Mater seepage makes the work very difficult shafts with are equipped with freezing equipment, the work process at a fast pace; there are, however, only a few shafts so equipped. In Shaft 4a, excavation had reached a depth of 67 meters.
- Not all shafts worked on by the Metro Budowa company have been stated; in some cases, preparations are still being made. Work is proceeding in 18 of the 26 tunnels; in the others it has not yet begun for hak of equipment or labor.

	` (CLAS	SIFICATIO	N	GROREE	 -	No. of the Park
STATE /	w NAVY	12	NSRB		DISTRIBUTION		
ARMY #	x AIR #	Z	FBI		ORR Ev		

- h. Took norms are similar for laborers in shafts with freezing equipment in those without. Workers in the ill-equipped tunnels cannot work anger than one hour at a time. They return to the surface wet and and, unable to continue. They are unable to fulfill their norms and dig one centimeter from the shaft. Norms are figured collectively. sockers who do not enter competition have greater tax deductions. One waker received 1,880 zloty for a month's wages; after taxes, he had 67 zloty
- 5. such tunnel needs four shifts of sub-surface workers. Above ground, work is done in three shifts a day. On employment, each laborer ins a paper committing him not to disclose the secrets of the submy construction. Violation brings a minimum penalty of three years prisonment.
- 6. The authorized strength of a shaft crew is:

shaft foreman elief foreman hief foreman torage worker freezing equipment workers (three shifts) ompressor workers (three shifts) alevator operators (three shifts) surface workers (three shifts) underground workers (four shifts)

SECRET

SECRET

Attachment

25X1A

WARSAW SUBWAY

